

RECORD COPY			COPY NO.	PUB. DATE	LOCATION			MASTER		ER	DATE RECEIVED	LOCATION			
DISPOSITION DA					(s) Release 2006/02/07				ĸ ĿRDI	202T	MINIMUM 7 06408R001200010010-	MAXIMUM 5			
CUT TO COPIES  CUT TO COPIES  CUT TO COPIES			DATE 7/72	CUT TO COPIES	DATE				ES DE	STROY	ED				
			DATE	CUT TO COPIES		DATE						***************************************			
			DATE	MASTER	DATE			1							
	DATE		050511150	AD LOCUED	NUMBER OF COPIES			DATE			RECEIVED OR ISSUED	NUMBER OF COPIES			
O, DAY YR.		YR.	RECEIVED	OK ISSUED	REC'	D ISS D	BAL	MO. DAY YR.		YR.	ALCEITED ON 1330ED	REC D	188 D	BA	
8	16	68	Dist. Unit	#41,44,47	5		5.		_						
			49												
9	17	69	CR5 # 4	1		1	4							<b></b>	
8	2	72	Deat # 1	44, 47-49			0	W	K	6					
								ļ							
														I.	
			Δnn	roved For Re	ease	2006/	02/07	CIA	RDI	102T	06408R001200010010-	.6			
<b>(</b> 11)	L E	NPIC		PIR61108		APR.19			CLA		LOCATION				
` '								TS	$\pi$			24952	4	25	

**2**5×1

25X1 25X1 25X1

**25**×1

25X1

25X1

# SIMFEROPOL SPACE TRACKING AND COMMUNICATION CENTER, USSR



25X1

FIG-1 SIMFEROPOL SPACE TRACKING AND COMMUNICATIONS CENTER, USSR

The Simferopol Space Tracking and Communication Center is located on the Crimean Peninsula at 15-03N 033-53E, eleven nautical miles northwest of the city of Simferopol (Figure 1).

The Center has undergone considerable expansion since it was illat observed on
photography and currently its capabilities for space tracking and telemetry collection
are being substantially increased. When initially observed on photography in
only a portion of the Center was visible due to
scattered clouds and haze. For this reason, the chronological development of the
Center was established from analysis of photography. In addition, ground
photography was employed to the fullest possible extent to fill in details not discern-
ible on the satellite coverage.

The first hotography of the Center was in twas of generally poor quality, however it is adequate as a base for the chronological development of the Center.

In this study, the chronological history of the facility has been divided into three periods of time using missions. The following four missions exhibit the greatest amount of change in the installation and provide the best photographic quality for each time period.

For the sake of clarity, the Center has been analyzed by section, as designated on the four line drawings (Figures 3-6). Each section reflects changes or additions detected on the three up-dating missions.

The sections, and the order in which they appear in the text, are as follows:

- 1. Radio Telescope Site 2. FLIM FLAM Station

- 1. Mano relescope Site
  2. FLIM FIAM Station
  3. Microwave Facility
  4. High Frequency Communications Facility
  5. Center Support Area
  6. Probable Satellite Telemetry Collection Site
  7. Interferometer Site

All measurements have been made by the NPIC/Technical Intelligence Division and are considered to be accurate within ± 5 feet or ± 5 percent (whichever is greater) for horizontal, and ± 5 feet or ± 10 percent (whichever is greater) for vertical measurements. All measurements have been obtained from Technical Techni

TOP SECRET

25X1

-1-

FIG-2 SIMFEROPOL SPACE TRACKING AND COMMUNICATIONS CENTER, USSR

#### RADIO TELESCOPE SITE

The Radio Telescope Site was observed on poor quality stereoscopic photography in At that time, activity was evident at the site but construction status could not be precisely determined. The entire site was under construction with a large control building and three smaller buildings present (Pigure 3, Items 1, 2, 3, and 5). Also, an object was observed at the location of the radio telescope (Figure 3, Item A), but the subsequently identified 100-foot dish was not identified be at this time. The poor quality of the photography procluded a more detailed description of the site.

25X1

25X1

25X1 25X1 25X1 the site was again observed on poor quality stereocoric photography. The four buildings, observed under construction in were probably complete. In addition, the 100-foot dish appears to e complete or in a late stage of construction. Portions of the dish feed structure are vaguely discernible. Also, a fifth support-type building is present on this coverage (Figure 4, Item 6). No other changes or additions are discernible due to poor image quality and the small scale of photography.

-2-

TOP SECRET

25X1 25X1

25X1

25X1

25X1

# Appr**TOP** • SECRETO (6/02/07 : CIA-RDP02T06408R001200010010-6 CIA IMAGERY ANALYSIS DIVISION

INTERFEROMETER
SITE

FLIM FLAM

STATION

RADIO

TELESCOPE

SITE

Radio

TELESCOPE

SITE

Radio

TELESCOPE

SITE

FOO SIMPROPUL SPACE TRACKING AND COMMUNICATIONS CENTER, USIN

The entire Radio Telescope Site is separately secured within the overall Center security fencing. A guard house is at the entrance gate and three guard towers are positioned at or near the corners of the fence. Approximately six vehicles are observed within the fenced area on this mission. The site is connected by eable scar to the Microwave Pacility and to the two calibration towers located to the south. At least seven small unidentified structures or pieces of equipment are located within the fenced area. Their small size precludes identification and they are not listed in Table 1 as permanent structures.

2\$X1

Photographic coverage obtained in revealed several minor changes since the Hiswever, they are not portrayed on the line drawing (Figure 6) as they add nothing of significance to this chronology.

These changes include the removal of the structural crane from the concrete pad at the radio telescope and the planting of trees and other vegetation. Overall, the entire site has a "cleaner" appearance, probably indicating the completion of major construction activities. Approximately eight vehicles/vans are observed at the site.

TOP SECRET

25X1 25X1

25X1

25X1

Appr**TOF** • STECRE 7006/02/07 : CIA-RDP02T06408R001200010010-6

CIA IMAGERY ANALYSIS DIVISION


CIA/PIR-61108

125×1

25X1

25X1

25X1 25X1



#### FIG-4 SIMFEROPOL SPACE TRACKING AND COMMUNICATIONS CENTER, USSR

#### FLIM FLAM STATION

The FLIM FLAM, or near space tracking station, was definitely not present in

It was first visible in

but was not identifiable due to extremely poor photography and haze conditions. Two
dark objects can be discerned at the location of the FLIM FLAM station, but construction
status cannot be determined.

The first coverage used in this chronology is

Again,
haze and poor image quality were limiting factors, permitting only the identification
of the two tracking buildings (Figure 4, Items 11 and 12). No antennas or environmental
domes were discernible nor could construction status be determined.

Photography of provided an excellent image of the FLIM
FLAM station. The station consisted mainly of two tracking buildings and one smaller

25X1


25X1

25X1

25X1

building (Figure 4, Items 11-13). It was evident that both tracking buildings were structurally complete, however, the antenna and radome on the easternmost building was not present. The westernmost building has a completed dome on it approximately 55 feet in diameter. This size dome normally houses a dish approximately 25 feet in diameter. A smaller building is located between the two tracking buildings and appears to be cable connected to each of the buildings. A construction crane is also located adjacent to the casternmost tracking buildings. A construction crane is also located activity at this location. A cooling pond is located immediately north of the westernmost tracking building, but there is no visible evidence to indicate a direct association with the FLIM FLAM station. In addition, a cable scar extends westward from the westernmost tracking building to a small control building. An unidentified object adjacent to the small building has subsequently been identified as a VIF/UHF whip antenna (Figure 5, Item 14). Two large vans and two smaller vehicles are parked on a hardstand near the tracking buildings.

TOP SECRET



The October 1965 coverage reveals that the station is apparently complete (Figure 6). A 55-foot light-toned dome has been placed on top of the easternmost tracking building. The dome on the other tracking building is now dark in tone. Also,

25X1

F

\[\frac{1}{4}

25X1

25X1

25X1

the cooling pond is full and is connected by ground scar to the westernmost tracking building. Again, as at the Radio Telescope Site, trees have been planted around and between the tracking buildings.

#### MICROWAVE FACILITY

The Microwave Pacility cannot be identified as such on One building is discernible and is connected by a ground scar to the Radio Telescope Site (Figure 3, Item 15). This is all that is interpretable on this mission due to the previously stated limiting factors of the photography.

In there appears to be no change in the facility since

By \_\_\_\_\_ numerous additions to the Microwave Facility were noted (Figure 5). The building observed on earlier photography is externally complete and is identified as a control building (Figure 5, Item 15).

TOP SECRET

25X1 25X1


25X1

25X1

25X1

25X1

25X1



The tower, identified as a microwave tower in a previous report (NPIC/R-293/64), is not a microwave tower but a five-helix telemetry collection array, mounted on a pedestal. This was determined from subsequent photography used in conjunction with ground photography (Figure 7). At this time, a microwave tower is not observed within this facility.

25X1 25X1

25X1

25X1

Two probable DRUM HEAD antennas are located east and west of the control building, oriented 240 degrees and iggrees respectively. These are parabolic reflectors, approximately 40 feet in width, elevated on earth mounds and can probably be rotated in both azimuth and elevation. Their identification as DRUM HEAD radar is based primarily on 1963 ground photography.

Also present are two small buildings (Figure 5, Items 16 and 17) and a partially filled cooling pond. A ground scar is visible, leading from the vicinity of the control building to the Radio Telescope Site.

In the probable location of a microwave tower was

observed (Figure 6). However, the uncertainty of the precise location plus the inherent small size of the tower prevents a measurement of its height. The Microwave Tower is definitely visible on ground photography (Figure 7), with two small parabolic reflectors on top of the tower. Although reflector azimuths could not be precisely determined, their general orientation appears to be toward the Yevpatoriya Deep Space Tracking and Communications Center located approximately 28 nautical miles to the northwest, A calibration tower, 160 feet high, has been constructed north of the large control building. It is almost identical to one of the two calibration towers located outside the Center, south of the Radio Telescope Site. Adjacent to this new tower is a small building (Figure 6, Item 18).

The two probable DRUM HEAD radars have been removed from the mounds. A concrete pad and an object resembling a pedestal have been constructed on the westernmost mound. The appears very similar to the pedestal supporting the five-helix array adjacent to the large control building. The area has been landscaped and numerous trees are discernible around the control building. Additional earth scars are observed between the large control building and the U-shaped building at the Radio Telescope Site.

TOP SECRET

25×1

25X1

25X1 25X1


25X1 \_ 25X1


CIA/PIR-61108

25X1

**25X1** 25X1

25X1








FIG-7 SIMFEROPOL SPACE TRACKING AND COMMUNICATIONS CENTER, USSR SELECTED GROUND PHOTOS, JUN 1965

### HIGH FREQUENCY COMMUNICATIONS FACILITY

On coverages of and the high frequency communications facility was not discernible due to the poor quality of the photographic image. It was visible as early as but identification was very tenuous due to the small scale of photography.

The first good coverage of the installation was in \_\_\_\_\_\_\_ The two large rhombic antennas (Figure 5, Items B and C) were identified at that time in NFIC R-293/64, and are paired for day/night operation. But, due to an incomplete rhombic signature, the subsequently identified nine rhombic antennas (Items D-L) were missidentified as fishbone receiving antennas. A control building (Item 19) is located

at the focal point of a fan formed by the nine small rhombic antennas. This control building is separately secured by a fence. There are no cooling facilities discernible, however a cooling pond is located nearby at the FLIM FIAM station and, although no connection is visible, it could be used by both facilities.

provided much better photography of this facility than that of the preceeding mission. At this time, the mine small rhombic antennas were readily discernible (Figure 6, Items D-L). A dissipation/feeder line extends along the entire length of the major axis of each rhombic, in contrast to the usual distance of only one-half the length of an end-fed rhombic antenna.

TOP SECRET

25X1 25X1

25X1 25X1

Appr <b>TOP</b> - SECRE TO D6/02/07	: CIA-RDP02T06408R001200010010-6	
CIA IMAGERY ANAL	YSIS DIVISION	CTA/PTR-61108
It should be noted that, although the orientation of the rhombic antennas are isted in Table 2 with only one azimuth, a back azimuth for some of these transmitting untennas would cover portions of the Mediterranean Sea, where Soviet instrumentation hips operate.  CENTER SUPPO	Also located within this facility are two other control Buildings 109 and 110). Two helical antennas are on the roo addition, three other buildings and three probable communica within this facility (Figure 6, Items 20, 21, and 112).	f of the former. In
	NI AKEA	
This area is the largest single entity at the Center. A lengthy narrative tweelopment is not provided as this area can best be studied by using the four line drawings (Figures 3-6) in conjunction with Table 1. These adequately present the evolution of the support area within the previously stated time limitations.  Many of the smaller structures initally identified on	may have been present earlier but not discernible due to the photography.  In addition to normal supporting elements, several heli small dish antennas are located within this area. These wil detail under Miscellaneous Activity, as they are not pertine function of this area.	cal antennas and two 1 be discussed in more
PROBABLE SATELLITE TELEM	ETRY COLLECTION SITE	
The probable Satellite Telemetry Collection Site is located at the eastern extremity of the Center and existed at least in part, before	revealed several newly identified outldings (Figure 5, Items 121 and 123) are new since two 8-helix arrays and two 14-helix arrays are newly identificated on a flat, rectangular base, mounted on a masonry pe	and
At that time, the only structures discernible were four buildings and the wall located on the north side of the site (Figure 3, Items 117-120). Construction status could not be determined on this coverage due to the poor quality of the photography.	The northern and eastern walls around the site appear t	o be complete.
By some activity had taken place at the location of the four helix antennas (Figure 4), but actual identification was not possible at that time.  The wall at the eastern side of the site was evident but no other activity was observed in A correlation of ground photography obtained in 1963 and photography dated	No other new facilities were observed within the walled area development, probably the most significant new activity iden located adjacent to and outside of the eastern wall. This c consists of a high masonry control building or pedestal, sew large radio telescope, a structural crane identical to the c	An area of recent tified at the Center, is onstruction activity eral structural panels for a ne previously seen at the al unidentified items, is situated on a concrete Footings
INTERFEROME	FER SITE	
The interferometer was not present in  It was observed under construction in  At that time, the earthen foundations for the baselines (Figure 5, Them 129). This building is being constructed below the ground level and will eventually be buried. A fence around the site is partially complete.	In the baselines appear to however, no antenna elements were observed (Figure 6). The completely buried and the fence now completely encloses the appears to have progressed very slowly on this interferomete similar installations elsewhere in the USSR.	e building has been
MISCELLANEOUS	ACTIVITY	
One of the most significant items in the current expansion at the Center is the construction of two 16-helix antennas since [Figure 6, near Items 8 and 116]. One of these antennas was observed on June 1965 ground photography (Figure 7). However, neither the ground photography nor the coverage furnished sufficient information to allow a precise measurement of the individual helices comprising the antenna system.  These two antennas are located on flat, rectangular 30 by 25 feet "beds", and are	adjacent to almost identical control buildings (Figure 6, Buithe opposite side of each control building is located a probe an additional antenna.  Each of these new 16-helix antennas is located near a renear the older 100-foot dish and one near the radio telescope adjacent to the Probable Satellite Telemetry Collection Site, these radio telescope sites can be identified at this time of	adio telescope site, one under construction No direct connection to
-8-		
		1

25X1

25X1 25X1

25X1

25X1

25X1

25X1 25X1

25X1

25X1 25X1

CIA IMAGI	ERY ANALYSIS DIVISION CIA/PIR-61108
Two small dish antennas and two helix antennas are located within the Center Suppo.  Also, two helix antennas are located atop a building (Figure 6, Item 109) in the Frequency Communications Facility. These were identified on ground photography and ly precisely located on aerial photography. All are annotated on Figure 6.	adequate power is supplied from a power plant which is located between this Center
	ERENCES
Agency Accession Number Date Classification  CTA 9 Apr 63 SECRET  DOD 24 Jun 65 SECRET	MAPS AND CHARTS  ACIC. US Air Target Chart, Series 200, Sheet 250-20HL, 4th edition, September 1962 Scale 1:200,000 (SECRET)  DOCUMENTS  NPIC. R-69/64, Earth Satellite Tracking and Communication Center, Simferopol, USER, February 1964 (TOP SECRET  NPIC. R-293/64, Earth Satellite Tracking and Communication Center, Simferopol, USER, March 1964 (TOP SECRET  REQUIREMENT  C-S15-82,873  CIA/IAD FROJECT  30227-6

25X1

25X1

25X1

TOP SECRET

25X1 25X1 Appr JOP 60 SECRE J00 8/02/07 : CIA-RDP02T06408R001200010010-6 CIA IMAGERY ANALYSIS DIVISION

CIA/PIR-61108

725×1

# TABLE I - MENSURATION TABLE FOR ALL BUILDINGS

	Building Number	Length	Width	Height	Square	Cubic	Descript Number	tion	Building Number	Length	Width	Height	Square	Cubic	Descript Number	ion
					Feet	Feet	Floors	Probable Function					Feet	Feet	Floors	Probable Function
	1,,	130	95	-	-	-	1	U-Shaped Control Building	49 50	55 25	30 25	-	1650 625	-	1	Duplex-Type Dwelling Possible Single Family
	2	25 70	25 30	-	625 2100	_	1	Support Support	51	35	35	-	1225	-	1	Dwelling Unidentified
	Ĭ4	25	25	-	625	-	1	Support	52	20	10	-	200	-	1	Unidentified
	5	120	40	-	4800	-	1	Support/Maintenance	53	135	40	-	5400	-	1	Multi-Family Dwelling
	6	110	45	-	4950	-	1	Storage	54	25	25	-	625	-	1	Possible Single Family
	7 8	40	30	-	1200 6000	-	1	Probable Storage Control/Support	55	25	25	_	625	_	1	Dwelling Unidentified
	9	120 55	50 50	-	2750	-	2	Unidentified	56	130	45	-	5850	_	1	Barracks
	10	40	15	-	600		2	Unidentified	57 58	130	45	_	5850	_	î	Barracks
25X1	11	70			4200	100,800	2	Tracking Building	58	25	25	-	625	-	1	Possible Single Family
	12				4200	100,800	2	Tracking Building								Dwelling
	13	20	20		400	-,	1	Support	59 60	115	40	-	4600	-	1	Barracks
	14			r Accurate		ments)		Control	61	30 20	30 20	-	600* 400	-	1 1	Support Support
	15	100	40	-	4000 340	-	1	Control	62	20	20	-	400		1	Support
25X1	16 17			-	340	-	1	Control Control	63			be Measu		ately)	ī	Unidentified
	18	25	20		500	-	1	Control	64	85	20	-	1700		ĩ	Possible Barracks
	19	55	40	_	2200	_	î	Transmitter	65	45	30	-	1350	-	1	Probable Storage
	-/							Building	66	70	55	-	3850		1	Probable Vehicle
	20	55	40	-	2200	-	1	Control			١ -		(Approx**	+)		Maintenance
	21	55	40	-	2200	-	1	Control	67	90	45	-	4050		1	Probable Vehicle
	22	55	40	-	2200	-	1	Control	68	135	50	25	(Approx** 6750	168,750	2	Maintenance Apartment-Type Dwelling
	23 24	55 150	40 50	- 15	2200 7500	112,500	1	Control Probable Vehicle	69	15	15	-	225	100,700	ī	Probable Guard Shack
	24	150	50	10	1,000	112,000	1	Maintenance	70	50	30	-	1500	_	ī	Probable Heating Plant
	25	40	40	_	1600	_	1	Support	71			Accurate		red)		Unidentified
	26	15	15	_	225	-	1	Unidentified	72	110	45	-	4950	· -	1	Possible Barracks
	27	240	25	15	6000	90,000	1	Storage	73			er Constr			t Measure)	Unidentified
	28	115	25	15	2875	43,125	1	Storage	74			Accurate		red)	2	Unidentified
	29	115	25	15	2875	43,125	1	Storage	75 76	130 130	45 45	-	5850 5850	_	1	Barracks Barracks
	30	90	25	-	2250	-	1	Building removed, Foundation only	77	130	45	-	5850		1	Barracks
								Remains	78	130	45	_	5850	_	î	Barracks
	31	90	25	_	2250	-	1	Support/Storage	79	215	30	_	6450	_	ī	Barracks
	32	70	20	-	1400	-	1	Support/Storage	80	130	35	-	4550	-	1	Barracks
	33	100	40	-	4000	-	1	Storage	81	115	50	20	5750	115,000	2	Apartment-Type Dwelling
:	34	30	25	-		-	1	Support/Storage	82	115	115	20	5750	115,000	2	Apartment-Type Dwelling
*	35 36	100	40		14000		1	Storage	83 84	1 <b>1</b> 5 95	1 <b>1</b> 5 40	20	5750 3800	115,000	2 1	Apartment-Type Dwelling
	36 37			er Constr Measure		Undetermi	ned Size	Unidentified	85	125	50	-	6250	_	î	Apartment-Type Dwelling Apartment-Type Dwelling
	37 38	25	15	Measure I	375	-y) -	i	Unidentified	86	65	40	_	2600	_	è	Apartment-Type Dwelling
	39	20	10	_	200	_	î	Unidentified	87	55	35	-	1925	-	1	Unidentified
	46	60	50	-	3000	_	?	Building Under	88	175	40	35	7000	245,000		Apartment-Type Dwelling
		(Approx	) (Appro	x)	-			Construction	89	110	40	20	4400	88,000	2	Apartment-Type Dwelling
	41	130 &	45	-	9000	-	?	L-Shaped Probable	90	110 110	40 40	20	4400 4400	88,000	2	Apartment-Type Dwelling
05)//		115						Heat Plant	91 92	110	40	20 20	4400	88,000 88,000		Apartment-Type Dwelling
25X1	42			oved Since			1 to 3	Probable Varying-	93	110	40	20	4400	88,000	2	Apartment-Type Dwelling Apartment-Type Dwelling
	43	130	55	30	7150 (Approx	٠, -	T to 3	Probable Varying- Story Gymnasium	93 94	110	40	20	4400	88,000		Apartment-Type Dwelling
25X1	1,1,	(Dele	te (No B	uilding) 1			d Since	Doory Gymnaszum	95	110	40	20	4400	88,000	2	Apartment-Type Dwelling
20/1	45	55	30	-	1650	-	1	Duplex-Type Dwelling	95 96	110	40	20	4400	88,000	2	Apartment-Type Dwelling
	46	(Too	Small fo	r Accurate	e Measure			Unidentified	97	175	45	45	7875	354,375		Apartment-Type Dwelling
ĺ	47			r Accurat		ment)		Unidentified	98	85	10	-	850	-	1	Utility Building
	48	25	25	-	625	-	1	Possible Single	.99	50	30		1500		1	Unidentified
								Family Dwelling	100	(T00	small to	Measure	Accurate1	Ly)		
	* Buildir	e is L-Sh	aned wit	h 30 by 3	) feet be	eing overs	11 lengt	and width								

\* Building is L-Shaped with 30 by 30 feet being overall length and width \*\* Irregular shapes make square footage approximate

25X1

TOP SECRET

-10-

25X1 \_ 25X1

25X1

25X1

25X1

25X1

25X1

25X1

# ApprTQP=oSECRET006/02/07 : CIA-RDP02T06408R0012Q0010010-6

CIA/PIR-61108

CIA IMAGERY ANALYSIS DIVISION

TABLE I - continued

Building								Building							
Number	Length	Width	Height			Descript	tion	Number	Length	Width	Height			Descri	ption
				Square	Cubic	Number						Square	Cubic	Number	
				Feet	Feet	Floors	Probable Function					Feet	Feet	Floors	Probable Function
101															
102	85	10	-	850	-	1	Utility Building	115	90	25	-	2250	-	1 & 2	Unidentified (Split-
103	45	25	-	1125	-	1	Utility Building								Level)
104	45	25	-	1125	-	1	Utility Building	116	110	50	-	5500	-	1	Control Building
105	45	25	-	1125	-	1	Utility Building	117	30	20	-	600	-	1	Support
106	40	40	15	1600	24,000	1	Probable Duplex-Type	118	30	30	-	900	-	1	Support
							Dwelling	119	105	45	-	4725	-	1	Control Building
107	40	40	15	1600	24,000	1	Probable Duplex-Type	120	35 80	30	-	1050	-	1	Support
							Dwelling	121	80	30	-	2400	-	1	Storage
108	40	15	-	600	-	1	Unidentified	122	50	25	-	1250	-	1	Storage
109	100	40	-	4000	-	1	Control Building	123	20	20	-	400	-	1	Probable Guard Shack
110	70	15	-	1050	-	1	Possible Control	124	30	20	-	600	-	1	Possible Maintenance
							Building								Shed
111	125	50	-	6250	-	2	Probable Apartment-Type	125	25	25	-	625	- Mu	lti-Stor	y Unidentified
						(Prob)	Under Construction	126	(Bui	lding Und	der Consti	uction -	Could no	t Determ	ine Measurements)
112	60	40	-	2400	_	` 1 '	Unidentified	127	80	30	_	2400	_	1	Storage
113	20	20	-	400	-	1	Guard Shack	128	80	30	_	2400	-	1	Storage
114	175	130	-	11,225***		2	Barracks/Admin Type	129	(Bui	lding Sec	en on Prev	ious Pho	tography.	is now 1	Earth Covered)
		- 3					,	130***		50	30	9000	270,000	?	Apartment-Type Building
								130	55	40	25	<b>2200</b>	99,000	?	Apartment-Type Building
											-/		,,,		

\*\*\* Building is U-Shaped with 175 by 130 feet being overall length and width \*\*\*\* Split-Level with Varying Exterior Dimensions

# TABLE 2 - COMMUNICATIONS ANTENNAS AND RADIO TELESCOPE

Antenna Designator*	Туре	Major Axis (Feet)	Minor Axis (Feet)	Diameter	Approximate Orientation	Possible Correspondence**
A	Radio Telescope			100 feet		-
B C D E F G H I	Rhombic Antenna (Transmitting)	600 355 215 215 215 215 215 215	365 220 110 110 110 110 110 110		Azimuth 15 Degrees Azimuth 15 Degrees Azimuth 355 Degrees Azimuth 335 Degrees Azimuth 335 Degrees Azimuth 320 Degrees	Moscow Moscow Ulan Ude, Golenki Khutor Moscow Area Leningrad Kiev, Riga Vlnnitea
K L	Rhombic Antenna (Transmitting) Rhombic Antenna (Transmitting) Rhombic Antenna (Transmitting)	215 215 215	110 110 110	-	Azimuth 300 Degrees Azimuth 275 Degrees Azimuth 250 Degrees	Prague, Czeck. Belgrad, Yugo. Tirane, Alban.

\* Keyed to Figure

\*\* Pertains to rhombic antennas only

\*\*\* Determined from at 9 hours, 13 minutes, 47 seconds (GMT) on

TOP SECRET

-11-

Approved For Release #00/P/07 SECRET 106408R001200010010-6

П